	CLASSIFICATION CONFIDENT AND LIGHT	Lie DESCRIPTION VILL	Υ
COUNTRY	Soviet Sone. Germany CIVIAL REPO	RT NO.	10000000000
TOPIC Zei	ss Flant. JENA	25X1A	e anticipie region chimae rapidatisti della dell
	25X1X	\$4.55\$\$\$\$1.65\$\$\$ <b>5.65</b> \$	parent cipe with the particular p
EVALUATION_		25X1A	- dd
	TENT 1 April 1949	The state of the s	8/1
		12 August 1949	10
	DATE PREPARED.		ente entre estratorio constructiva estratorio de mantente de la constructiva de la constr
REFERENCES.		den schriftet anbätte allegeliet ver vann sy an y angronning bilding en an y 27,000 an existent tame	deren en e
PAGES 1	ENCLOSURES (NO. & TYPE)	Livens years 200 <b>4 the Miller State</b> Left No. 21 Miller Frank Print, No. 2004 (Miller Frank Print, No. 2004) (Miller Frank Print, No. 2004)	det er tenen de trapation de encet automate desprisables de la companyation de la company
REMARKS			and a street fact framewhy a major and a second street street street.
			ngayankeurs /Austroagettessen gibbar difficial. 18 J. d. 1.4
The second second section for the second second			
	中央中央中央中央中央中央中央中央中央中央中央中央中央中央中央中央中央中央中央	шарарын түмөрдүү түрүн түрү байтуу байтан байтын байран байран байран байран байран байран байран байран байра	が中でいる。 1984年(1984年) 1984年(1984年) 1984年(1984年) 1984年(1984年) 1984年(1984年) 1984年(1984年) 1984年(1984年) 19
kroker i de iş krojiyyeti yana jih kiştiniğir ve atalarıy jerin varibi bi		uusiku valueenaluteen kilmin Pavateellissi miskä kiik ta kiskola taksi savat savatusi ota viistoi Pavatein kanastaleen	
, ·	+ ,		
SOURCE			
SOURCE 1.	Main Scientific Department:		
SOURCE 1.	Chief: Geheimrat Dr. HARTUNG; Deputy:		
SOURCE 1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE		
SOURCE 1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS		
SOURCE 1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS Crystal laboratory: Dr. SCHREINER		
SOURCE 1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS Crystal laboratory: Dr. SCHREIMER Optical instruments: Dr. NOTTEBOOM		
SOURCE 1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER  Optical instruments: Dr. NOTTEBOOM  Chemical tests: Dr. REBENTISCH		
SOURCE 1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER  Optical instruments: Dr. NOTTEBOOM  Chemical tests: Dr. REBENTISCH  Photo calculation: Dr. ZOELLNER		
SOURCE 1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER  Optical instruments: Dr. NOTTEBOOM  Chemical tests: Dr. REBENTISCH		
1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER Optical instruments: Dr. NOTTEBOOM Chemical tests: Dr. REBENTISCH Photo calculation: Dr. ZOELLNER Astro calculation: Dr. KOZHLER Astro calculation: Dr. KOZHLER	e, Dr. OETTEL	
1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER Optical instruments: Dr. NOTTEBOOM Chemical tests: Dr. REBENTISCH Photo calculation: Dr. ZOELLNER Astro calculation: Dr. KOZHLER Actronic microscopy: Prof. SCHUSTER Optical Section		
1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER Optical instruments: Dr. NOTTEBOOM Chemical tests: Dr. REBENTISCH Photo calculation: Dr. EDELINER Astro calculation: Dr. KOZHLER Glectronic microscopy: Prof. SCHUSTER Optical Section Lanagement: Dr. SCHRADE	e, Dr. OETTEL	
1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER Optical instruments: Dr. NOTTEBOOM Chemical tests: Dr. REBENTISCH Photo calculation: Dr. ZOELLNER Astro calculation: Dr. KOZHLER Astro calculation: Dr. KOZHLER Optical Section Lanagement: Dr. SCHRADE Commercial Management: SANDMANN	e, Dr. OETTEL	
1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER Optical instruments: Dr. NOTTEBOOM Chemical tests: Dr. REBENTISCH Photo calculation: Dr. ZOELLNER Astro calculation: Dr. KOEHLER Slectronic microscopy: Prof. SCHUSTER Optical Section Management: Dr. SCHRADE Commercial Management: SANDMANN Personnel Section: Dr. JOBST	e, Dr. Osttel	
1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER Optical instruments: Dr. NOTTEBOOM Chemical tests: Dr. REBENTISCH Photo calculation: Dr. ZOELLNER Astro calculation: Dr. KOZHLER Astro calculation: Dr. KOZHLER Optical Section Lanagement: Dr. SCHRADE Commercial Management: SANDMANN	CHREIBER	T¥C
1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER Optical instruments: Dr. NOTTEBOOM Chemical tests: Dr. REBENTISCH Photo calculation: Dr. ZOELLNER Astro calculation: Dr. KOZHLER Astro calculation: Dr. KOZHLER Dectronic microscopy: Prof. SCHUSTER  Optical Section  Management: Dr. SCHRADE Commercial Management: SANDMANN Personnel Section: Dr. JOBST Planning Section: Graduate engineer Sc Director of the design bureau: Graduat Operational manager of the optical sec	CHREIBER te engineer BISCHO tion and diemond	)¥F
1.	Chief: Geheimrat Dr. HARTUNG; Deputy: Micro laboratory: Dr. TRAPP, Dr. GAUSE Gauge laboratory: Dr. LUCAS  Crystal laboratory: Dr. SCHREINER Optical instruments: Dr. NOTTEBOOM Chemical tests: Dr. REBENTISCH Photo calculation: Dr. ZOELLNER Astro calculation: Dr. KOEHLER Astro calculation: Dr. KOEHLER Detronic microscopy: Prof. SCHUSTER  Optical Section  Management: Dr. SCHRADE Commercial Management: SANDMANN Personnel Section: Dr. JOBST Planning Section: Graduate engineer Schuster of the design bureau: Graduate	CHREIBER te engineer BISCHO tion and dismond	). Per

This document is hereby regraded to CONFIDENTIAL in accordance with the letter of 16 October 1978 from the Director of Central Intelligence to the Archivist of the United States.

Next Review Date: 2008

Decument No.

NO CHANGE in Class.

NO CHANGED TO:

This document is hereby regraded to Confidence with the Director of Central Intelligence to the Archivist of the United States.

Next Review Date: 2008

Date: 23 May 18 By: 8.35

IFICATION CONFUDERATE AL/CONTROL US OFFICALS ONLY